



Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment  
Authority(SEIAA), Uttar Pradesh)

To,

The CHIEF GENERAL MANAGER ADMIN  
M/S DWARIKESH SUGAR INDUSTRIES LIMITED DWARIKESH NAGAR  
SUGAR UNIT

Dwarikesh Nagar, Village- Bundki, P.O.- Medhpurasultan, 246762, Tehsil-  
Nagina, District- Bijnor, Uttar Pradesh -246762

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity  
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)  
in respect of project submitted to the SEIAA vide proposal number  
SIA/UP/IND2/82956/2002 dated 27 Aug 2022. The particulars of the environmental  
clearance granted to the project are as below.

- |   |   |
|---|---|
| 1. EC Identification No.                      | EC22B025UP146670  |
| 2. File No.                                   | 7237-6292   |
| 3. Project Type                               | Expansion   |
| 4. Category                                   | B1  |
| 5. Project/Activity including<br>Schedule No. | 5(j) Sugar Industry   |
| 6. Name of Project                            |   |
| 7. Name of Company/Organization               | M/S DWARIKESH SUGAR INDUSTRIES<br>LIMITED DWARIKESH NAGAR SUGAR<br>UNIT |
| 8. Location of Project                        | Uttar Pradesh   |
| 9. TOR Date                                   | 15 Sep 2002   |

The project details along with terms and conditions are appended herewith from page  
no 2 onwards.

Date: 13/12/2022

(e-signed)  
Member Secretary  
Member Secretary  
SEIAA - (Uttar Pradesh)

*Note: A valid environmental clearance shall be one that has EC identification  
number & E-Sign generated from PARIVESH. Please quote identification  
number in all future correspondence.*

*This is a computer generated cover page.*

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,  
and Virtuous Environmental Single-Window Hub)





## State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow- 226010

E-Mail- doeuplko@yahoo.com, seiaaup@yahoo.com

Phone no- 0522-2300541

**Reference- MoEFCC Proposal no- SIA/UP/IND2/82956/2022 & SEIAA, U.P File no-7237-6292**

**Sub: Environmental Clearance for Proposed Expansion of Sugar Mill Cane Crushing Capacity from 6500 TCD to 7500 TCD at Village- Bundki, P.O. - Medhpurasultan, Tehsil- Nagina, District-Bijnor, U.P., M/s Dwarikesh Sugar Industries Limited.**

Dear Sir,

This is with reference to your application / letter dated 21-04-2021, 09-06-2021, 27-05-2021,, 27-08-2022, 20-09-2022 on above mentioned subject. The matter was considered by 687th SEAC in meeting held on 23-09-2022 and 659<sup>th</sup> SEIAA in meeting held on 14-10-2022 and 24-11-2022.

A presentation was made by the project proponent along with their consultant M/s Environmental & Technical Research Centre to SEAC on 23-09-2022.

### **Project Details Informed by the Project Proponent and their Consultant**

The project proponent, through the documents and presentation gave following details about their project –

1. The environmental clearance is sought for Expansion of Sugar Mill Cane Crushing Capacity from 6500 TCD to 7500 TCD at Village- Bundki, P.O. - Medhpurasultan, Tehsil- Nagina, District-Bijnor, U.P., M/s Dwarikesh Sugar Industries Limited.
2. The standard terms of reference for the project proposal were issued through online Parivesh Portal on 07/05/2021.
3. Public hearing organized on 08/06/2022 and final EIA report submitted by project proponent through online Parivesh Portal on 27/08/2022.
4. Salient features of the project:

Sr No	Particulars	Details		
		Existing	Proposed expansion	After Expansion
1.	Nature and Size of Project	6500 TCD	1000 TCD	7500 TCD
2.	Category of the Project	As per EIA Notification dated 14 <sup>th</sup> September, 2006 as amended from time to time; the project falls in Category 'B', Project or Activity - 5(J).		
3.	Area Details	Existing Industry: 36.66 Hectare Proposed Expansion: Nil No change in the area of industry, expansion will be done within existing premises.		
	Total Plant Area			
	Site coordinates	Corners	Directions	Latitude and Longitude
		A	West	Lat: 29°31'39.30"N, Long: 78°22'54.32"E
		B	North	Lat: 29°31'43.92"N,

					Long: 78°23'0.84"E
			C	East	Lat: 29°31'36.26"N, Long: 78°23'25.94"E
			D	South	Lat: 29°31'20.56"N Long: 78°23'10.43"E
			-	Centre	Lat : 29°31'34.67"N, Long: 78°23'9.87"E
4.	Greenbelt / Plantation Area	~37.5% of the project area (13.75 hectare) has been provided as green belt			
5.	Project Cost Details				
	Total Project Cost	Rs. 7 Crores.			
	Cost for Environment Management Plan	Capital Cost: Rs 25.0 Lakh Recurring cost: Rs 50.0 Lakhs /Annum			
6.	Power Generation	Existing power generation – 17.0 MW, After proposed expansion – 17.0 MW ( No Change )			
7.	Basic Requirements for the project				
	Water Requirement	Existing	Proposed expansion	After Proposed expansion	
	Industrial (Fresh Water)	1400 KLD (0.21 KL/T of cane crush)	400 KLD	1800 KLD (@ 0.24 KL/T of cane crush )	
	Domestic (Fresh Water)	400 KLD	-	400 KLD	
	Total Fresh Water requirement	1800 KLD	400 KLD	2200 KLD	
	Source of Fresh Water	Ground water through existing Tube / Bore well. Industry already obtained the NOC from Ground Water Department, Uttar Pradesh.			
	Man Power Requirement	The total estimated manpower (direct and indirect employment) after the proposed expansion shall be 500 Nos. during the peak season.			
8.	Fuel and Its Quantity	Bagasse is being / will be used as fuel in boilers. Existing requirement: 1680 TPD After proposed expansion : 1680 TPD (No Change)			
9.	Steam requirement	Existing: 140 TPH (Existing steam is sufficient after proposed expansion.)			
10.	Rain water harvesting pits	04 nos.			
11.	Product Details	Existing	After Proposed Expansion		
a	Sugar	780.0 MT/Day	900.0 MT/Day		
b	Molasses (Byproduct )	295.0 MT/Day	338.0 MT/Day		
c	Bagasse (By product )	1690.0 MT/Day	1950.0 MT/Day		
d	Press Mud (By Product)	295.0 MT/Day	338.0 MT/Day		
e	Co gen Power	17.0 MW	No Change		
12.	Raw Material				
		Existing	Proposed expansion	After proposed expansion	
	Sugar Cane Crushing	6500 TCD	1000 TCD	7500 TCD	

5. Raw material details:

Product and its Quantity	Existing	After Expansion
	Sugar Cane 6500 TCD Crushing	Sugar Cane 7500 TCD Crushing
Sugar (Product)	780 MT/Day	900 MT/Day



Molasses (By Product)	295 MT/Day	338 MT/Day
Bagasse (By Product)	1690 MT/Day	1950 MT/Day
Press Mud (By Product)	295 MT/Day	338 MT/Day

6. Water calculation details:

Particular		Existing capacity	Proposed expansion	After proposed expansion
Total Water Requirement	Industrial	1400 KLD (0.21 KL/T of cane crush)	400 KLD	1800 KLD (@ 0.24 KL/T of cane crush)
	Domestic	400 KLD	-	400 KLD
Source of Water		Ground water through existing Tube / Bore well. NOC from Ground Water Department has been obtained which is valid upto 2026.		
Waste Water Generation		1300 KLD	200 KLD	1500 KLD (Maximum effluent generation is being and will be @ 0.2 KL / Ton of Cane Crushed. )
Waste water treatment		Existing treatment Strategy: Effluent will be treated in adequate capacity – 1700 KLD. Effluent is being treated through Activated sludge process. ETP comprises of Bar Screen, Oil & Grease trap, chemical Mixing, Equalization, Primary Clarifier, Aeration, Secondary Clarifier, MGF, ACF and Sludge Drying beds. Treatment Strategy after expansion: Effluent will be treated through same s effluent treatment plant as adequate capacity is available for treatment.		

1. Solid waste generation details:

Category	Type of Waste	Colour of Bins	Disposal Method	Total Waste (Kg/day)
Bio Degradable	Organic Waste	Green	Organic waste converter within the project site	75.0
Non-Biodegradable	Recyclable Waste	White	Authorized Recycler	31.25
Non-Biodegradable	Inert Waste	Black	Nearby Landfill Site	18.75
Total				125 Kg/day

2. Process waste details:

Solid waste	Existing Capacity	After Proposed Expansion	Method of disposal
Boiler ash	30.24 MT/Day	30.24 MT/Day (No Change)	Boiler ash will be supplied to the brick manufacturer.
ETP Sludge	1.5 MT/Day	1.7 MT/Day	ETP Sludge will be given to the farmers
Press Mud	295 MT/Day	338 MT/Day	Press mud will be given to the farmers
Oil & Grease from ETP	48 kg/Day	60 kg/Day	Will be mixed with bagasse and burn in boiler. Hazardous authorization from UPPCB will be obtained.

3. The project proposal falls under category–5(j) of EIA Notification, 2006 (as amended).

Based on the recommendations of the State Level Expert Appraisal Committee Meeting (SEAC) held on 23-09-2022 the State Level Environment Impact Assessment Authority (SEIAA) in its Meeting held 14-10-2022 & 24-11-2022 and decided to grant of environmental clearance on the proposal as above alongwith standard environmental clearance conditions prescribed by MoEF&CC, GoI and following additional conditions:

### **Additional Conditions:**

1. Government of India discharge notification dated 14.01.2016 to be complied.
2. Project proponent shall ensure that sugar unit will treat that generated waste water in adequate ETP and discharge as per notification dated 14.01.2016
3. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
4. Ash generated will be stored in dedicated areas with proper fencing.
5. The project proponent will install 3 CAQMS in consultation with UPPCB.
6. Three tier green belt shall be developed and managed during construction and operation and maintenance period with suitable native species resistant to pollutants to reduce dust/air pollution/ noise pollution/odour and soil erosion all along the periphery of the project, open areas etc. under the guidance of Forest department. Site survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years (Miyawaki method to be adopted for plantation). The project proponent will ensure submission of half yearly progress report on plantation to the District Forest Officer.
7. Performance test shall be conducted on all pollution control system every year and report shall be submitted to Regional office of the MoEF and CC.
8. Greening and paving shall be implemented in the plant area to arrest soil erosion and dust pollution exposed soil surface.
9. Properly covered vehicles shall be used while transporting material and product.
10. Allergy test should also be included in health checkup of works.
11. Industry should comply with the CPCB charter guidelines for sugar units and treated water shall be used for the different purposes as per the requirement in industry.
12. Industry shall comply with the water consumption as per the revised plan submitted to the Directorate of Environment at the time of presentation.
13. Industry shall comply in a time bound manner with the CER and EMP plan submitted to the Directorate of Environment and submit the compliance progress time to time to the concerned authority.
14. Industry shall comply with the condition of the Ministry of Environment, Forest and Climate Change office memorandum dated 08/06/2022.
15. Industry shall comply with the queries/questions raised by the public representatives during the public hearing dated 17/09/2022. Industry shall comply the action plan within time bound period and submit the report to the concerning authority.

### **Standard environmental clearance conditions:**

#### *I. Statutory compliance:*

- I. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- II. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- III. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden, if applicable. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six - monthly compliance report. (in case of the presence of schedule-I species in the study area).
- IV. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water

(Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee prior to the starting of production.

- V. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
- VI. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989

## *II. Air quality monitoring and preservation:*

- I. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- II. The project proponent shall install system carryout to Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission , and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.
- III. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six- monthly monitoring report.
- IV. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- V. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.
- VI. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
- VII. The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
- VIII. Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.

## *III. Water quality monitoring and preservation*

- I. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises and connected to SPCB and CPCB online servers.
- II. Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises.
- III. Process effluent /any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
- IV. The effluent discharge shall conform to the standards prescribed under the



Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.

- V. Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
  - VI. Industrial/trade effluent shall be segregated into High COD/TDS and Low COD/TDS effluent streams. High TDS/COD shall be passed through stripper followed by MEE and ATFD (agitated thin film drier). Low TDS effluent stream shall be treated in ETP and treated effluent shall conform to the standards prescribed under the Environment (Protection) Rules, 1986 and treated water from ETP shall be used for irrigation.
  - VII. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.
- IV. Noise monitoring and prevention**
- I. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
  - II. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
  - III. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time
- V. Energy Conservation measures**
- I. The energy sources for lighting purposes shall preferably be LED based.
- VI. Waste management**
- I. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
  - II. Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt, if hazardous shall be disposed off to the TSDF.
  - III. **The company shall undertake waste minimization measures wherever feasible as below :-**
    - a. Metering and control of quantities of active ingredients to minimize waste.
    - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
    - c. Use of automated filling to minimize spillage.
    - d. Use of Close Feed system into batch reactors.
    - e. Venting equipment through vapour recovery system.
    - f. Use of high pressure hoses for equipment clearing to reduce wastewater generation
- VII. Green Belt**
- I. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.
- VIII. Safety, Public hearing and Human health issues**
- I. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
  - II. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.

- III. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- IV. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- V. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- VI. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places

**IX. Corporate Environment Responsibility**

- I. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- II. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements /deviation/violation of the environmental / forest /wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation/ violation of the environmental/ forest / wildlife norms I conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- III. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive , who will directly to the head of the organization.
- IV. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- V. Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

**X. Miscellaneous**

- I. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- II. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- III. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.



- IV. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- V. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- VI. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- VII. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- VIII. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- IX. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- X. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- XI. Concealing factual data or submission of false /fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- XII. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- XIII. The Ministry reserves the right to stipulate additional conditions if found necessary.
- XIV. The Company in a time bound manner shall implement these conditions.
- XV. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- XVI. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- XVII. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Concealing factual data and information or submission of false/fabricated data and failure to comply with any of the conditions stipulated in the Prior Environmental Clearance attract action under the provision of Environmental (Protection) Act, 1986.

This Environmental Clearance is subject to ownership of the site by the project proponents in confirmation with approved Master Plan for Bijnor. In case of violation; it would not be effective and would automatically be stand cancelled.

The project proponent has to ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of the violation this permission shall automatically be deemed to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this Clearance shall automatically be deemed to be cancelled.

Further project proponent has to submit the regular 6 monthly compliance report regarding general & specific conditions as specified in the E.C. letter and comply the provision of EIA notification 2006 (as Amended).

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.

**Copy, through email, for information and necessary action to –**

1. **The Principal Secretary, Department of Environment, Forest and Climate Change, Government of Uttar Pradesh, Lucknow (email – [soenvups@rediffmail.com](mailto:soenvups@rediffmail.com))**
2. **Joint Secretary, Ministry of Environment, Forest and Climate Change, Government of India, 3rd Floor, Prithvi-Block, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003 (email – [sudheer.ch@gov.in](mailto:sudheer.ch@gov.in))**
3. **Deputy Director General of Forests (C), Integrated Regional Office, Ministry of Environment, Forest and Climate Change, Kendriya Bhawan, 5th Floor, Sector “H”, Aliganj, Lucknow – 226020 (email – [rocz.lko-mef@nic.in](mailto:rocz.lko-mef@nic.in))**
4. **District Magistrate Bijnor.**
5. **Member Secretary, Uttar Pradesh Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow-226010 (email – [ms@uppcb.com](mailto:ms@uppcb.com))**
6. **Copy to Web Master for uploading on PARIVESH Portal.**
7. **Copy for Guard File.**

**(Ajay Kumar Sharma)  
Member Secretary, SEIAA**